



motorola

Product Catalogue

Office IP Phones



Connect your office,
transform your business

Introduction

We are proud to introduce our new range of Motorola IP phones.

Simple, intuitive and effective, our series of IP phones deliver interactive communications to a desktop for the user who just needs access to VoIP, right through to more advanced features, line support and usability options.

Take a look at our new range!



Product Line-Up

Motorola 100IP-2 /
Motorola 100IP-2P



Motorola 200IP-2P



Motorola 400IP-18P



Motorola 150IP-3P



Motorola 300IP-6P



Motorola 400IP-AC



Product Range



USB CHARGING

Motorola 100IP-2 / 100IP-2P

- 2.4" 128x64 pixels, black and white backlit display
- 2 SIP accounts
- 9 DSS keys
- HD voice
- Full-duplex hands-free speakerphone
- 2 x 10/100M Ethernet port
- Power over Ethernet (PoE)*
- Three-way conference calling
- 38.5° removable bracket
- Up to 2000 entry enterprise phonebook
- Up to 1000 entry personal phonebook
- Wall mount option (bracket not supplied)

* PoE feature in 100IP-2P model only

Motorola 150IP-3P

- 2.8" 128x64 pixels, black and white backlit display
- 3 SIP accounts
- 15 DSS keys
- HD voice
- Full-duplex hands-free speakerphone
- Built-in USB interface and supports EHS
- 2 x 10/100M Ethernet port
- Power over Ethernet (PoE)
- Three-way conference calling
- 40° and 50° removable bracket
- Up to 2000 entry enterprise phonebook
- Up to 1000 entry personal phonebook
- Wall mount option (bracket not supplied)

Product Range



Motorola 200IP-2P

- 2.4" 320x240 pixels, colour display
- 2 SIP accounts
- 9 DSS keys
- HD voice
- Full-duplex hands-freespeakerphone
- 2 x 10/100M Ethernet port
- Power over Ethernet (PoE)
- Three-way conference calling
- 38.5° removable bracket
- Up to 2000 entry enterprise phonebook
- Up to 1000 entry personal phonebook
- Wall mount option (bracket not supplied)



USB CHARGING

Motorola 300IP-6P

- 2.8" 320x240 pixels, colour display
- 6 SIP accounts
- 30 DSS keys
- HD voice
- Full-duplex hands-free speakerphone
- Built-in USB interface
- 2 x 10/100/1000M Ethernet port
- Power over Ethernet (PoE)
- EHS
- Three-way conference calling
- 40° and 50° removable bracket
- Up to 2000 entry enterprise phonebook
- Up to 1000 entry personal phonebook
- Wall mount option (bracket not supplied)


Product Range



USB CHARGING

Motorola 400IP-18P

- 4.5" 480x854 pixels, colour display
- 18 SIP accounts
- 18 multi-functional line keys and up to 90 DSS Keys
- HD voice, full-duplex hands-free speakerphone
- Built-in USB interface
- 2 x 10/100/1000M Ethernet port
- Power over Ethernet (PoE)
- Three-way conference calling
- 40° and 50° removable bracket
- Up to 2000 entry enterprise phonebook
- Up to 1000 entry personal phonebook
- Supports up to two Motorola 400IP-AC expansion modules, for up to 72 additional DSS Keys



ACCESSORY

Motorola 400IP-AC

- 4.5" 480x854 pixels, colour display
- 2 pages of 18 multi-functional line keys and up to 36 DSS keys
- Expansion module (<1) is powered by the host phone
- 40° and 50° removable bracket
- Works with Motorola 400IP-18P

Product Line-Up

Motorola
100IP-2 / 100IP-2P



Motorola
150IP-3P



Motorola
200IP-2P



Motorola
300IP-6P



Motorola
400IP-18P



Features List

					
Model name	100IP-2/100IP-2P	150IP-3P	200IP-2P	300IP-6P	400IP-18P
LCD display	2.4" black and white, 128x64 pixels	2.8" black and white, 128x64 pixels	2.4" colour, 320x240 pixels	2.8" colour, 320x240 pixels	4.5" colour, 480x854 pixels
DSS (programmable keys)	9	15 (5 pages of 3 keys)	9	30 (5 pages of 6 keys)	90 (5 pages of 18 keys)
SIP accounts	2	3	2	6	18
Ethernet port	10/100M	10/100M	10/100M	10/100/1000 M	10/100/1000 M
Power over Ethernet (PoE)	100IP-2P, only	Yes	Yes	Yes	Yes
E-hook	—	—	—	—	Yes
Headset (RJ9)	Yes	Yes	Yes	Yes	Yes
Adjustable bracket	38.5°	40°/ 50°	38.5°	40°/ 50°	40°/ 50°
Expansion module	—	—	—	—	400IP-AC
IEEE802.1X	Yes	Yes	Yes	Yes	Yes
Open-VPN	Yes	Yes	Yes	Yes	Yes
Enterprise phonebook	2000	2000	2000	2000	2000
Personal phonebook	1000	1000	1000	1000	1000
BLF/BLA	Yes	Yes	Yes	Yes	Yes
Auto provision	TFTP / FTP / HTTP / HTTPS / PNP	TFTP / FTP / HTTP / HTTPS / PNP	TFTP / FTP / HTTP / HTTPS / PNP	TFTP / FTP / HTTP / HTTPS / PNP	TFTP / FTP / HTTP / HTTPS / PNP
Wideband codec (HD voice)	G.722, Opus	G.722, Opus	G.722, Opus	G.722, Opus	G.722, Opus
Narrowband codec	G.711A, G.711U, G.729, G.726, iLBC	G.711A, G.711U, G.729, G.726, iLBC	G.711A, G.711U, G.729, G.726, iLBC	G.711A, G.711U, G.729, G.726, iLBC	G.711A, G.711U, G.729, G.726, iLBC
Wall mount	Optional (bracket not supplied)	Optional (bracket not supplied)	Optional (bracket not supplied)	Optional (bracket not supplied)	—

Compatible Systems:

Alcatel-Lucent, Asterisk, AVAYA, Broadsoft, Genesys, HUAWEI, Metaswitch, NEC, Panasonic, Yeastar, ZTE, 3CX

DISCLAIMER:
Product specification is subject to change without prior notice.

EU Version: 1



To obtain service or information

Call: (+86) 20-82320720

Email: sales@escene.cn

motorola.com

Manufactured, distributed or sold by Meizhou Guo Wei Electronics Co. LTD., official licensee for this product. MOTOROLA and the Stylized M Logo are trademarks or registered trademarks of Motorola Trademark Holdings, LLC. and are used under license. All other trademarks are the property of their respective owners. © 2020 Motorola Mobility LLC. All rights reserved.